

DE Anleitung für Montage, Betrieb, Wartung und Demontage

Sektionaltore für Industrie Baureihe 60, Bautiefe 42 / 67 mm

EN Instructions for Fitting, Operating, Maintenance and Dismantling

Series 60 Industrial Sectional Doors, depth 42 / 67 mm

FR Notice de montage, d'utilisation, d'entretien et de démontage

Porte sectionnelle industrielle série 60, épaisseur 42 / 67 mm

ES Instrucciones para el montaje, funcionamiento, mantenimiento y desmontaje














Puertas seccionales industriales Serie 60, profundidad 42 / 67 mm

RU Руководство по монтажу, эксплуатации, техобслуживанию и демонтажу


Секционные ворота для гаража строительной серии 60, строительная глубина 42 / 67 мм

+



NL	PL	SL	FI	TR	LV	EL
IT	HU	NO	DA	LT	HR	RO
PT	CS	SV	SK	ET	SR	BG







1




2








3.3




1




2




3.4a




3.4b












3.5





3.6a




3.6b




3.7





a







b






4




4.1a






4.1b




4.1c




4.2




4.3



4.4




4.5a




1a

4.5b


< 201	> 1768
201 - 300	> 1405
> 300	> 1041




1b




2





3




4




5




5.1




1




2




3




5.2




5.3






5.4





5.5








6.3



RM	
≤ 3000	4
3001 - 4000	6
4001 - 5000	8




6.4







6.5




1










2














3




6.6







7




7.1a




7.1b




7.2






7.3






7.4








8a.3



1

2




8a.4



1

2


8a.5




1

2


8a.6




8a.7




8a.8



8a.9






8a.10













	L1	L2	L3	L4
	25	20	22	16







8a.11




8a.12









8b.4




8b.5



8b.6




8b.7




RM ≤ 3000




8b.8



8b.9



8b.10



L1

L2

L3

L4



25



20

22


16

8b.11







8c.2




8c.3





8c.4




9




Auftrags Nr. Order no.	Tor Nr. Door no.
Produkt Nr. Product no.	Baujahr Year of manufacture
Toratyp Door type	
Breite x Höhe Width x height LZ x RM	
Beschlag Track application	Höherführung High-lift
Federspannung No. of spring turns X	Gewicht Weight
Feder links Spring left	Feder rechts Spring right



9.2



9.3





9.4a

RM ≤ 2500



L1

1





9.4b

RM ≤ 2500










L2

2






10







10.1



10.2





10.3



1

M8 x 25



2

3

